

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/848933	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/10/24 08:48
S1	1	"6628738".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 11:27
S2	1	10/848933	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 11:14
S3	38	375/260.ccls. and (pilot with track\$5) and (data with track \$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 11:15
S4	0	375/260.ccls. and (pilot near track\$5) and (minimum adj square\$5 adj error)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 15:16
S5	0	375/260.ccls. and (pilot near track\$5) and (minimum adj suar\$5 adj error)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:13
S6	0	375/260.ccls. and (phase near track\$5) and (minimum adj suar\$5 adj error)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 11:28
S7	7	375/260.ccls. and (minimum adj squar\$5 adj error)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 11:29
S8	10	375/267.ccls. and (minimum adj squar\$5 adj error)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 14:02
S9	2	375/267.ccls. and (switch) same STTD	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 14:04
S10	3	375/347.ccls. and (switch) same STTD	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 14:04
S11	13	375/347.ccls. and (identif\$6 with (transmit\$3 near antenna))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/04 14:05

S12	1	375/260.ccls. and (pilot near track\$5) and (data near track \$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:14
S13	4	10/263415	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:02
S14	0	375/260.ccls. and (pilot near track\$5) and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:14
S15	0	"375"/\$.ccls. and (pilot near track\$5) and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:14
S16	6	375/260.ccls. and (pilot near track\$5) and (frequency near track\$6)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:20
S17	11	"375"/\$.ccls. and FFT and (pilot near track \$5) and (frequency near track\$6)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:17
S18	15	375/260.ccls. and (remodulat\$6)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:25
S19	9	375/260.ccls. and pilot and (remodulat\$6)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:32
S20	0	"375"/\$.ccls. and (pilot near track\$6) and remodulat\$7	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:32
S21	0	"370"/\$.ccls. and (pilot near track\$6) and remodulat\$7	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:33
S22	0	(pilot near track\$6) and remodulat\$7	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:33
S23	7	(pilot ) and remodulat \$7 and (frequency adj correct\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/10 16:33
S24	2	"20020101840"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:30
S25	0	"375"/\$.ccls. and (preliminary adj boundary adj estimat \$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:31

S26	0	"375"/\$.ccls. and (preliminary adj symbol adj boundary )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:31
S27	0	"370"/\$.ccls. and (preliminary adj symbol adj boundary )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:31
S28	0	"370"/\$.ccls. and (coarse adj symbol adj boundary )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:31
S29	0	"375"/\$.ccls. and (coarse adj symbol adj boundary )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:32
S30	7	"375"/\$.ccls. and (coarse with (symbol adj boundary) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:34
S31	0	"375"/\$.ccls. and (preliminary with (symbol adj boundary) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 14:34
S32	0	(preliminary with (symbol adj boundary) )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 15:27
S33	0	"10848933"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 15:28
S34	1	"10/848933"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 15:37
S35	1	"6628738".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/05/11 15:38
S36	0	375/260.ccls. and (pilt near track\$5) and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:19
S37	0	375/260.ccls. and (pilot near track\$5) and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:20
S38	11	375/260.ccls. and (pilot ) and (remodulat \$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:25
S39	3	375/260.ccls. and (pilot with phase) and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:28
S40	20	375/260.ccls. and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:28

S41	2	375/260.ccls. and (phase near track\$6) and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:28
S42	3	375/260.ccls. and (phase with frequency with track\$6) and (remodulat\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:30
S43	1	10/848933	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/17 10:30
S44	1	10/848933	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 11:28
S45	15	375/260.ccls. and (pilot same preamble same (cyclic adj prefix))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 11:32
S46	0	"10849218"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 11:33
S47	1	"10/849218"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 14:55
S48	1	"10/751120"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 14:56
S49	1	375/260.ccls. and (pilot with frequency with track\$5) and (remodulat\$6)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 15:17
S50	2	"375"/\$.ccls. and (pilot with frequency with track\$5) and (remodulat\$6)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 15:17
S51	17	(pilot with frequency with track\$5) and (remodulat\$6)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 15:22
S52	2	"20020101840"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/18 15:23

S53	13	("20020054611"   "5257404"   "5959965"   "6028900"   "6031828"   "6298048"   "6373861"   "6473453"   "6590881"   "6735454"   "6754170"   "6876672"   "6961393").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/18 15:31
S54	2	"20020101840"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/18 15:31
S55	5	2002/0101840	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/19 09:09
S56	2	"20020101840"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2007/10/19 09:09
S57	10	375/260.ccls. and (data with phase with frequency adj track\$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:42
S58	1	"20050117667"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:46
S59	30	375/260.ccls. and (pilot with phase with frequency with track \$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:51
S60	1	375/260.ccls. and (pilot near2 (phase adj frequency adj track \$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:53
S61	1	375/260.ccls. and (pilot with (phase adj frequency adj track \$8)) and (data with (phase adj frequency adj track\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:54
S62	1	"375"/\$.ccls. and (pilot with (phase adj frequency adj track \$8)) and (data with (phase adj frequency adj track\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:54

S63	40	"375"/\$.ccls. and (pilot with (phase adj track \$8)) and (data with (phase adj track\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:55
S64	4	"375"/\$.ccls. and ((data adj aided) with (phase adj track\$8))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 15:59
S65	1	10/848933	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:01
S66	375	(pilot near2 track\$8) and (data near2 track \$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:02
S67	112	(pilot near track\$8) and (data near track \$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:02
S68	1	(pilot near based near track\$8) and (data near based near track \$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:04
S69	0	(pilot near2 track\$8) and (data-aided with track\$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:04
S70	1	(pilot-based tracking) and (data-based adj tracking)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:06
S71	1	"375"/260.ccls. and (pilot with (phase adj frequency adj track \$8)) and (remodulat \$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:07
S72	1	"375"/260.ccls. and ( (phase adj frequency adj track\$8)) and (remodulat\$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:07
S73	2	"375"/260.ccls. and ( (phase near2 frequency near2 track \$8)) and (remodulat \$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:08
S74	1	"375"/260.ccls. and ( pilot near2 track\$8) and (remodulat\$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:08
S75	28	"375"/260.ccls. and (remodulat\$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:08

S76	17	"375"/260.ccls. and pilot and (remodulat\$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:11
S77	9	"375"/260.ccls. and pilot and (data near2 phase near estimat\$8)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/09 16:13
S78	92	375/260.ccls. and (pilot with preamble)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/10 15:50
S79	1	11/108689	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/10 16:12
S80	0	10/336103	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/11 08:02
S81	1	"10336103"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/11 08:03
S82	2	"20020101840"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/11 10:51
S83	2	10/751120	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/11 14:38
S84	2	10/751120	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/04/12 08:57
S85	1	10/848933	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/10/17 13:27
S86	2	"20040170227"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/10/17 13:29
S87	1	10/848933	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2008/10/22 16:13

10/ 24/ 2008 10:10:22 AM

C:\Documents and Settings\ktran5\My Documents\EAST\workspaces\10848933.wsp